



## Zachte klauwen (vertand 1.5mm x 60°)




### recht

| TYPE | A  | B  | C  | D  | K+J BOUT  | P | KG/SET | MATERIAAL |
|------|----|----|----|----|-----------|---|--------|-----------|
| BO06 | 72 | 35 | 30 | 12 | 20+15 M10 |   | 1.3    | staal     |
| AA06 | 72 | 38 | 32 | 12 | 20+15 M10 |   | 0.7    | aluminium |
| BQ06 | 72 | 30 | 30 | 12 | 20+15 M10 |   | 1.1    | staal     |
| BB06 | 72 | 40 | 30 | 12 | 20+15 M10 |   | 1.5    | staal     |
| BC06 | 72 | 50 | 30 | 12 | 20+15 M10 |   | 1.8    | staal     |
| DJ06 | 72 | 60 | 30 | 12 | 20+15 M10 |   | 2.2    | staal     |
| AB06 | 72 | 76 | 32 | 12 | 20+15 M10 |   | 1.4    | aluminium |




### aangeschuind

| TYPE | A  | B  | C  | D  | K+J BOUT  | P | KG/SET | MATERIAAL |
|------|----|----|----|----|-----------|---|--------|-----------|
| BA06 | 72 | 30 | 30 | 12 | 20+15 M10 | 5 | 1.0    | staal     |
| PT06 | 82 | 30 | 30 | 12 | 20+15 M10 | 5 | 1.3    | staal     |




### segment omkeerbaar

| TYPE | A  | B   | C   | D  | K+J BOUT  | P | KG/SET | MATERIAAL |
|------|----|-----|-----|----|-----------|---|--------|-----------|
| CN16 | 60 | 60  | 120 | 12 | 20+15 M10 |   | 9.0    | staal     |
| HN16 | 64 | 64  | 120 | 12 | 20+15 M10 |   | 3.2    | aluminium |
| HN17 | 64 | 100 | 120 | 12 | 20+15 M10 |   | 5.0    | aluminium |



### segment


| TYPE | A  | B  | C    | D  | K+J BOUT  | P | KG/SET | MATERIAAL |
|------|----|----|------|----|-----------|---|--------|-----------|
| SG06 | 76 | 76 | Ø169 | 12 | 20+20 M10 |   | 13.0   | staal     |
| AG06 | 76 | 76 | Ø169 | 12 | 20+20 M10 |   | 6.0    | aluminium |



### aangeschuind en aflopend


| TYPE | A  | B  | C  | D  | K+J BOUT  | P | KG/SET | MATERIAAL |
|------|----|----|----|----|-----------|---|--------|-----------|
| BD06 | 72 | 60 | 30 | 12 | 20+15 M10 | 5 | 1.8    | staal     |

## Harde klauwen (vertand 1.5mm x 60°)




### grijpklauwen - buitenspanning


| TYPE | SPANBEREIK | B  | C  | D  | K  | b  | T  |
|------|------------|----|----|----|----|----|----|
| KK16 | 19 - 40    | 39 | 35 | 12 | 20 |    |    |
| LA03 | 33 - 55    | 49 | 35 | 12 | 20 | 20 | M6 |
| LA04 | 52 - 74    |    |    |    |    |    |    |
| LA06 | 66 - 89    |    |    |    |    |    |    |
| LA07 | 81 - 103   |    |    |    |    |    |    |
| LA09 | 97 - 119   |    |    |    |    |    |    |



### grijpklauwen - binnenspanning


| TYPE | SPANBEREIK | B  | C  | D  | K  | b  | T  |
|------|------------|----|----|----|----|----|----|
| MA05 | 54 - 75    | 49 | 35 | 12 | 20 | 20 | M6 |
| MA06 | 65 - 86    |    |    |    |    |    |    |
| MA07 | 84 - 106   |    |    |    |    |    |    |
| MA09 | 107 - 128  |    |    |    |    |    |    |





### omkeerbare klauwen type B


| TYPE | A  | B  | C  | D  | K  | S1 | S2 |
|------|----|----|----|----|----|----|----|
| GT06 | 66 | 38 | 35 | 12 | 20 | 14 |    |



### omkeerbare klauwen type A

| TYPE | A  | B  | C  | D | K | S1 | S2 |
|------|----|----|----|---|---|----|----|
| GT07 | 68 | 50 | 35 |   |   | 11 | 11 |

### T-moeren



#### dubbel

| TYPE | D  | h    | H   | K  | BOUT     |
|------|----|------|-----|----|----------|
| GP07 | 12 | 18.5 | 7.5 | 20 | M10 x 25 |